mamava





At <u>Mamava</u>, we invented the world's first freestanding lactation pods to provide private spaces for expressing milk at work or on the go. Our pods are designed for parents' comfort, as well as quick implementation, easy cleaning, and flexibility for facilities. They're a faster and more cost-effective way to comply with lactation accommodation laws than new construction.

Mamava's lactation solutions are designed for every place and situation. Our free app helps facilities streamline access and breastfeeding parents find thousands of lactation spaces wherever they go.

We hope you will join us in our mission to create a healthier society through infrastructure and support for breastfeeding.

Sascha Mayer and Christine Dodson Mamava Cofounders

WE LOVE OUR CUSTOMERS





Sandu

















hello

TABLE OF CONTENTS

Why Provide Lactation Support?	
Why Mamava?	6
Thoughtfully Designed Lactation Solutions	8
Lactation Pods	9
XL Graphics	
Lactation Space Supplies	11
×L	13
Flex	18
Solo	23
VaRoom	27
From Purchase to Placement: The Process	
Service + Support	31





It's the law.

The PUMP Act, part of the federal Fair Labor Standards Act (FLSA), requires employers to provide a private non-bathroom space for breastfeeding employees to pump. Some states have additional requirements.

It's good for business.

In one study, 83 percent of employees felt more positive about their company after lactation benefits were offered.¹ For every \$1 spent on wellness support programs (including lactation spaces) employers see \$2-\$3 return.²

It has public health benefits.

Breastfeeding has health benefits for both mothers and babies. Employees who receive break time and a private space to pump are more than twice as likely to be breastfeeding at six months.³

It contributes to an inclusive culture.

Mamava lactation solutions are a strong symbol of your organization's support for breastfeeding parents and help create an inclusive environment.

1. Rocheleau et al. (2019). Promoting Worker Well-Being Through Maternal and Child Health. Centers for Disease Control and Prevention. 2. Tuttle, C.R. & Slavit, W.I. (2009). Establishing the Business Case for Breastfeeding. *Breastfeeding Medicine*. 3. Birth data. (2022). Centers for Disease Control and Prevention.

How many spaces do you need?


The National Institute of Health (NIH) recommends six lactation spaces for every 1,000 female employees, two for 250 female employees, and one for 100 employees.

A parent typically pumps every 3-4 hours for ~30 minutes.

Pumping parents are often on the same schedule.

Using a lactation space far away is stressful and inefficient.

Why mamava?



From freestanding pods to our Mamava app-enabled smart lock, we have a solution for every space. Plus, custom graphics, seismic kits, service plans, and more.

Consultative approach

Mamava has helped thousands of customers create lactation programs. Our experts can help you build the best program to minimize risk, delight parents, and see ROI.

Quick implementation

Mamava's ready inventory and easy procurement process-plus our fasttrack delivery options-means you can have a space mom-ready in weeks.

Our seamless technology integration between Mamava pods and VaRoom smart locks and the Mamava app removes friction for facilities and parents by enabling autonomous access while securing the space against unintended users. The app helps parents find lactation spaces across North America and connect with breastfeeding support. As a pod or VaRoom owner, you decide how your space shows up on the app.





Evergreen, Breakroom

"Having a clean, designated place to pump makes it easier to be a working mom."

Amanda Uster, Paramedic

Fire Department of New York

mamava Thoughtfully Designed Lactation Solutions



Designed for breastfeeding parents. Built to make life easier for facilities.

mamava Lactation Pods



50 sq ft, 700 lb • 9'3" W x 5'6" D x 7'7" H* • 35" door swing



Flex Smart Access

24 sq ft, 415 lb • 6'7" W x 3'8" D x 7'9" H* • 32" door swing



Solo Smart Access (Tech-free Solo Base available)

16 sq ft, 300 lb • 4' W x 4' D x 7'9" H* • 32" door swing



INSTALLATION UPGRADE

Even easier for you: Mamava's installation professionals can manage assembly.

mamava XL Graphics

Built-to-Order Graphics

Your logo on the door and exterior graphic options.



Custom Graphics + Design Services

Talk with a Mamava Account Executive about how our designers can bring your vision to life.



mamava Lactation Space Supplies

INTEGRATE MAMAVA'S SMART TECHNOLOGY

Mamava VaRoom smart lock for lactation rooms

Pairs with the Mamava app to help facilities manage access and parents unlock lactation spaces.

Learn more about VaRoom on p.27.





OFFER A PREMIUM AMMENITY



Medela Pump + Parent Kits

A multi-user, hospital-grade Symphony PLUS® Breast Pump and Symphony® Double Breast Pumping Kits. Symphony Pump Trolley available for use in Mamava XL pods.



Medela Pump, Parent Kits + Essentials

A multi-user, hospital-grade Symphony PLUS* Breast Pump, Symphony* Double Breast Pumping Kits, Easy Pour Breast Milk Storage Bags, Quick Clean $^{\text{\tiny{M}}}$ Sanitizer Spray, and Ultra Breathable Nursing Pads.

PROVIDE A POP-UP SOLUTION

Rent Mamava inflatable pods for conferences + events

Email hello@mamava.com for information about booking one for your next event.



"I am overjoyed when I see the excited and relieved reactions of [breastfeeding] guests and employees when they learn this space is available to them."


Laura Simmers, Resort Sales Manager Stowe Mountain Resort


mamava XL

Spacious and wheelchair accessible.

Best for public venues and larger workplaces.







mamava XL





Graphics

Design a pod that reflects your brand or let our team bring your vision to life.



Enhanced Privacy Panels

For pods placed in areas with visibility from above.



Medela Pump + Accessory Kits

A multi-user, hospital-grade Symphony PLUS® Breast Pump and optional kits.



Seismic Bracketing Kit

Anchors the pod to the floor to meet building safety requirements.



Professional Installation

Our team of expert installers can take care of pod assembly for you.

STANDARD FINISHES







mamava XL





Dimensions

Exterior: 9'3" W x 5'6" D x 7'7" H (Includes pod and antenna height)

Interior: 50 sq ft; 8'9" W x 5' D x 6'8.5" H; 700 lb

35" door swing (recommend 60" clearance in front of the door and 18" clearance on the latch side)

Shipping crate: 7'10" W x 4'7" D x 5'11" H; 1,050 lb

Minimum 8'4" ceiling clearance required for assembly

Exterior materials + features

Front and back wall panel made of aluminum composite material (ACM) with a foam core optimized to reduce material consumption and waste

Curved side panels made of scratchresistant expanded polyvinyl chloride sheet (EPVC)

Front and side direct-print graphics (customization available)

Perforated aluminum roof panel with aluminum composite material (ACM) frame

Interior materials + features

19.5" W x 29" D commercial-grade laminate shelf with one (1) dual-receptacle outlet with one (1) USB-A port and one (1) USB-C port

30" W x 21" D commercial-grade laminate shelf with one (1) dualreceptacle outlet for compact fridge (20" W x 19" D x up to 25" H) or storage

Built-in shatterproof mirror made of reflective acrylic

41" W x 20" D contoured ergonomic seat (with Matrex internal support system) made of polyurethane fabric. 300 lb weight limit

Two (2) UL Listed ventilation fans provide 42dB of white noise and are capable of air change rates of ≥35 ACH

Two (2) stainless steel coat hooks, each holding up to 15 lb

Four (4) 3' occupancy-activated UL Listed LED strip lights, two (2) activated by motion sensor, two (2) controlled by switch

Anchoring lock for multi-user breast pump

Vinyl covered aluminum frame floor base with ABS underlayment

Deadbolt lock with occupancy indicator

Electrical

UL Listed components

10' GFCI-protected power cord (exiting at the bottom of the back right wall panel) occupies one standard 20A 120V outlet

Requires a 20A circuit and draws approximately 6.5A

Mobility

Four (4) retractable feet assist leveling the pod up to 1"

Four (4) built-in caster wheels for relocation
Disassemble and store as needed

Testing + safety

ETL certified to UL STD 962 and CSA STD C22.2#203

ASTM E-84 Flame Spread Rating is Class A for all external materials (walls and ceiling)

Meets NFPA 13 Section 9.3.10 Standards

Shelf and seat base meet UL Greenguard Gold rating

Floor meets GreenAir and FloorScore formulation for low VOCs and FMVSS 302 for flammability

Chair fabric is free of PVCs and VOCs and compliant with California Technical Bulletin #117-2013 for flammability

Seismic bracketing kit available

Accessibility features compatible IAW 2010 ADA Standards:

Mirror placement meets 603.3

Clear turning space meets 304.3.1 (circular space) and 304.3.2 (t-shaped space with knee clearance in accordance with 306.3)

Clear floor and ground space meets 305 (parallel or straight approach)

Door clearance width meets 404.2.3

Door maneuvering clearance meets 404.2.4

Door threshold meets 404.2.5

Door hardware meets 404.2.7

Grab bar sized and spaced to meet 609.2.1

Pod is designed for the perception of both audible and visible alarms to meet 215

Door closer arm meets 404.2.8 and 404.2.9, closing speed and opening force respectively

Light switch meets 308.2.1.

California Building code compliance:

Door hardware meets CBC 11B-404.2.7

Access technology

Access with Mamava app, numeric keypad on external lock, or key

Mamava's Smart Access technology for easy wayfinding, autonomous access, occupancy status, duration of use, and vacancy alerts

ZTU (Zero Transmission Unit) available for high security areas

Usage data available with the purchase of a Mamava Service Plan




"Mamava is the perfect solution to real estate challenges on our medical center campus."

Barbara Ashby, Manager, WorkLife and Wellness University of California, Davis

A versatile all-in-one lactation space solution designed for workplaces and public spaces.







UPGRADES



Medela Pump + Parent Kits
A multi-user, hospital-grade Symphony
PLUS* Breast Pump and optional kits.



Professional InstallationOur team of expert installers can take care of pod assembly for you.



Seismic Bracketing KitAnchors the pod to the floor to meet building safety requirements.

STANDARD FINISHES









Interior Graphics **Dreamscape**







Dimensions

Exterior: 6'7" W x 3'8" D x 7'9" H (Includes pod and antenna height)

Interior: 24 sq ft; 6'3" W x 3'4" D x 6'11" H; 415 lb

32" door swing

Shipping crate: 4'7" W x 7'10" D x 3'10" H: 755 lb

Minimum 7'9" ceiling clearance required for assembly

Exterior materials + features

Rigid vinyl wall panels with expanded Polystyrene foam core

Standard direct-print white oak finish

32" right-hand door swing with adjustable self-closing spring hinges

Recycled plastic felt roof for noise dampening

Interior materials + features

6'3" W x 10" D commercial-grade laminate shelf with two (2) integrated outlets with dual USB ports

Built-in shatterproof mirror

30" W x 20.5" D contoured ergonomic seat (with Matrex internal support system) made of nonabsorbent polyurethane fabric. 300 lb weight limit

30" W x 20" D bench to fit compact refrigerator (20" W x 19" D x up to 25" H), storage, or serve as additional seating

UL Listed ventilation fan provides air exchange rates of 35 ACH and 35dB of white noise Two (2) stainless steel coat hooks, each holding up to 30 lb

Two (2) 3' occupancy-activated UL Listed LED strip lights

Vinyl floor

Deadbolt lock with exterior occupancy indicator

Passive ambient lighting

Anchoring point for multi-user breast pump

Electrical

UL Listed components

4' GFCI-protected power cord (exiting lower left back) occupies one standard 15A (or 20A) 120V outlet

Draws approximately 6.5A

Mobility

Four (4) adjustable feet assist leveling the pod up to 1"

Four (4) built-in caster wheels allow for relocation

Disassemble and store as needed

Testing + safety

ETL certified to UL STD 962 and CSA STD C22.2#203

ASTM E-84 Flame Spread Rating is Class A for walls and Class B for recycled plastic felt roof

Meets NFPA 13 Section 9.2.10 Standards

Interior and exterior walls, shelf, and seat base meet UL Greenguard Gold rating

Floor meets GreenAir formulation for low VOCs and FMVSS 302 for flammability

Chair fabric is PVC and VOC free.

Compliant with California Technical Bulletin #117-2013 for flammability

Complies with UL 962 spill tests

Seismic bracketing kit available

Accessibility features compatible IAW 2010 ADA Standards

Note: The Flex does not meet ADA specifications for **wheelchair** accessibility. Please see the XL for a wheelchair accessible pod.

Door threshold meets 404.2.5

Door hardware meets 404.2.7

Door surfaces meet 404.2.10

Pod is designed for the perception of both audible and visible alarms to meet 215

Access technology

Access with Mamava app, numeric keypad on external lock, or key

Mamava's Smart Access technology for easy wayfinding, autonomous access, occupancy status, duration of use, and vacancy alerts

ZTU (Zero Transmission Unit) available for high security area

Usage data available with the purchase of a Mamava Service Plan

"I want our staff to know that we value them as professionals and as mothers. Having this pod for our employees helps send this message."

Juliana Bryansmith, Principal


Coney Island Prep Elementary School

mamava Solo

A sophisticated all-in-one lactation space solution designed for space efficiency and maximum comfort.







mamava Solo



CUSTOMIZATIONS + UPGRADES



Smart Access

Streamline access for facilities and ensure easy wayfinding for parents.



Medela Pump + Parent Kits

A multi-user, hospital-grade Symphony PLUS® Breast Pump and optional kits.



Professional Installation

Our team of expert installers can take care of pod assembly for you.

STANDARD FINISHES










mamava Solo







Dimensions

Exterior: 4' W x 4' D x 7'9" H (Includes pod and antenna height)

Interior: 16 sq ft; 43" W X 43" D X 80" H; 300 lb

4.8"-5.8" step-up threshold

32" door swing

Shipping Crate: 7'10" W x 4'7" D x 2'7" H; 550 lb

Minimum 7'9" ceiling clearance required for assembly

Exterior materials + features

Rigid vinyl wall panels with expanded Polystyrene foam core

Standard direct-print white oak finish

32" right-hand door swing with adjustable self-closing spring hinges

Recycled plastic felt roof for acoustic noise dampening

Interior materials + features

43" W x 8" D commercial-grade laminate shelf with an integrated outlet and two (2) USB ports

24" W x 16" D fold-down laptop desk made from commercial-grade laminate with soft-close hinges

Built-in shatterproof mirror made of reflective acrylic

24" W x 20.5" D contoured ergonomic seat (with Matrex internal support system) made of nonabsorbent polyurethane fabric. 300 lb weight limit

UL Listed ventilation fan provides air exchange rates of 55 ACH and 42dB of white noise Stainless steel coat hook holds up to 15 lb

Two (2) 3' occupancy-activated UL Listed LED strip lights

Low-VOC composite wood floor pan with vinyl covering

Deadbolt lock with exterior occupancy indicator

Passive ambient lighting

Electrical

UL Listed components

4' GFCI-protected power cord (exiting lower left back) occupies one standard 15A (or 20A) 120V outlet

Draws approximately 6.5A

Mobility

Four (4) adjustable leveling feet can raise the pod up to 1"

Four (4) built-in caster wheels allow for relocation

Disassemble and store as needed

Testing + safety

ETL certified to UL STD 962 and CSA STD C22.2#203:16

ASTM E-84 Flame Spread Rating is Class A for walls and Class B for recycled plastic felt roof

Interior and exterior walls, shelf, desk and seat base meet UL Greenguard Gold rating

Floor meets GreenAir formulation for low VOCs and FMVSS 302 for flammability

Chair fabric is PVC and VOC free.

Compliant with California Technical Bulletin #117-2013 for flammability

Meets NFPA 13 Section 9.2.10 Standards

Accessibility Features compatible IAW 2010 ADA Standards

Door hardware meets 404.2.7

Mirror placement meets 603.3

Pod is designed for the perception of both audible and visible alarms to meet 215

Access technology

Access with Mamava app, numeric keypad on external lock, or key

Mamava's Smart Access technology for easy wayfinding, autonomous access, occupancy status, duration of use, and vacancy alerts

ZTU (Zero Transmission Unit) available for high security area

Usage data available with the purchase of a Mamava Service Plan

Solo Base



Without Smart Access technology. Door handle without keypad (interior deadbolt only).

mamava VaRoom

A smart lock that integrates with the Mamava app to streamline lactation room access for facilities.



mamava: VaRoom

Includes

- √ App-enabled smart lock
- √ Deadbolt with vacancy indicator
- √ USB micro cable
- √ Access signage (exterior + interior decals)
- √ Quarterly data reports







Streamline operations with autonomous lactation room access.



Customize how your room is seen and discovered by Mamava app users.



Secure your lactation space from unintended users.



Minimize legal risk, attract and retain talent, improve guest experience.



Tap into the benefits of Mamava's national breastfeeding network.



Gain insights to inform cleaning, maintenance, and scalability planning.

Specs

4 × AAA Batteries (Micro USB cable for backup power) Power: Battery life: 10,000 locking/unlocking events App-enabled entry: Bluetooth connection Keypad entry: Up to 8 custom codes

2 lock keys, 1 deadbolt key Physical keys: 304 stainless steel + zinc alloy

Exterior dimensions: 6" H x 2-1/2" W x 1" D Installation: 2 hours, installation available Door + frame material:

Wood or metal Door thickness: 1 3/8" - 2 1/2"

Backset: Adjustable, fits 2 3/8" or 2 3/4" Less than 1/4" Door jam gap:

Door lock type: Cylindrical (mortise not compatible) "Working with the Mamava team was a pleasure—they were flexible, responsive, and made the installation process feel seamless."

Morgan Taylor-McFadden, Director **Boston Healthy Start Initiative**

From Purchase to Placement: The Process

1 Get in touch

Submit a request for information and a Mamava Account Executive will reach out to learn about your facility, make recommendations for the Mamava product to fit your needs, and share pricing.

2 Place your order

Select products—along with graphics and upgrades for pods—then we manufacture your order at one of our U.S. facilities. Pods and locks ship in as little as two weeks. (Graphics add additional production time.)

3 Find a space

For pods, be sure the space has a flat surface, ample room, privacy from overhead, and easy access to an outlet. It should also be an area that's convenient for users and serviced by an HVAC system. See p.28 for VaRoom smart lock door compatibility.

4 Receive your product. Pods will arrive unassembled in cardboard boxes banded together on a pallet. Delivery is to the first threshold.

XL Shipping Crate: 7'10" W x 4'7" D x 5'11" H | 1,050 lb **Flex Shipping Crate:** 4'7" W x 7'10" D x 3'10" H | 755 lb **Solo Shipping Crate:** 7'10" W x 4'7" D x 2'7" H | 550 lb

VaRoom Smart Lock (Self Installation)

Your parcel will arrive through UPS Ground shipping.

VaRoom Shipping Dimensions: 9" W x 13" D x 8.5" H



Professional Installation

You're done!


Our team of installers will assemble your pod on the scheduled date. For VaRoom smart locks, our installers will bring the locks with them on installation day. OR

Self-Installation

5 Set up your space

It takes 2 people a few hours to assemble a Mamava pod and 1-2 hours to install a Mamava VaRoom lock.

mamava Service + Support



Additional Resources + Services



Promotion Kit PR + social media support

Tools and templates to broadcast your lactation support (our Marketing team can help amplify)!

View promotion kit



Resource Library Education on lactation support

Mamava's resource library can help educate your organization about what breastfeeding parents need.

View library



Lactation Program Strategy Accommodation + policy expertise

Our experts can audit your facility, evaluate your need, and provide information on legal requirements.

Submit inquiry







Hello, mama





5,000+ Pods. 10+ Years of Innovation.

mamava is the most trusted name in lactation solutions.



CONNECT WITH SALES

Sales@mamava.com (802) 347-2111



